


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Eigh. melanadenia Foor i Sizilor Cole. AMM. G. Cide prorumb. H. suborbiculat. portet. omsis integening donse oano-puberocutet. This minut. Involuer Tolita, glad. Fransvers (nignis?) append pelaladris semiostribalis Caps hissatis - semin. lacvibus opacis. den Jabriel, Californie, Angelow, and the second of the second





t olheris polenge eenarginatig 120.6 annua (falis meximoles) oblong is basi infor accordants. - provertage develoting 1. obbort shlegring rules stipulis multipolis delaccis authoris alanty, de - quely Cas as folioseas (rongettes ter in ale,)

plenguanqueto

glabilis a mappels sulation

glabilis distribus punicipallism

stylis bris busy as and biforis

stylis bris busy as and biforis Chalys 1.4 Jem sami jupis oblisse augustate My los brever recursos sem ovetti aretti, unges comme is a swelling of the funder which sometime forms Cauerre pulis, T. irregulant a prendvantler. impresse pour later denn oft pinh by the bong. om Coa for A very developed MISSOURI BOTANICAL

copyright reserved

cm


GARDEN

CECNOL NO. 11 PAPERS



21 Right substant semplifolis Perg 21 annua glaberna patute sen Differa bari obligen lette oblige I subrondets oblins sams aprimer subservates vil jutignus melis me stiplis stanning deriker. author's alan En i glomiles lexos parsiflens laterles surfaction deletion delitions applies broughts and med Strafish; stignetibs dvenitis elavellets apitets. samuel, costs acute augult. lawrendis ser set leutre mints sont rulates Some soo som 2ec3 I com by teams lan 3-4 l. ly a little les arde. seed almost smooth princegularly rugore all or by e d. 3 or more hitter only under a good glan, L' Same Upp Samuel, & Colubri sin & Mentenz Ceary more shaply sente, oborte, mostly namound at base; applages sualle, no other d'éleverse The promine stignete es seed of these will En Their MISSOURI

BOTANICAL copyright reserved GARDEN



Eidstyname Scrpyllifalia Pens. anne peterts de Sifferna felie s e ben obligen obtes. s. zen oviter obbusis. I superoub antiusontes, Sutatis , sel-1 Sitegus stipulis tisampulatis sen lacrocatis fan'n's tis authodies alaribus st. den - glomes laxos Caterells, janfalli. glandlifferten ords myönten, longing appropriating and lettion, by Their putation with much sen alter lifisti, strymbols clavellatei papsula subarute augulats sem silen ovater anguleter vix hænsvere meg medelet. 3. inapptalety Key west Tens, Blodgett, Chapman Smiller plants, 4 rubes high subund lagu en 8-12 thicken lay frostrate; leaves 2-4 l. layer wide oborati, with mon or less Astrictly took dentity or sente. in a form out by Moderate They are book at base ovati of a firmer texture and all but the lovest ones eatite That glas are always very unique the portion on being wantly MISSOURI

BOTANICAL copyright reserved cm GARDEN two as large as the anternal
applyes name but propert

for there applyes

are very normal strip

appearing the subty the

Ohigh entirely, Agles

insully had below the will

it some sperious had to

Ledd 0.45-0.5 though and 0.3.2.35

Eigh doira Haut D. K. has also filia vers- paper sent at 2 gl & lagrathe the others.

The head A Jony I feet a form from Grands and John white blogs here, leaves more distinctly deutet towns the possit and offen the appear most even label on deeply toother a court of the Smalley than it flows the special of the it flows the special of the it flows the same.

A for the state of the state of

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COpyright reserved GARDEN

The company of the second with the second se

The second secon

Le somsangurinea dem differen gleber me folis e basi oblique sulet.

s. (latere inferire auta augustita)
subarta (oblongis 1/obovatis) oblondinai be oblini antid very april orgate Larratis Stipulis Committee Setures figgings in i glomentes laxos latentes profestion breaks integris stylis Grantes spire son variors 2 medic belobis Semuels suget orates 1. ovile_ solineanily, levile ex souplis for 1. mysette to the wellet, angulis antiguis Dette Wester Plaison Misellet, Hagden B Wight 1823 - per (305 151) Coper mining Mon Killy Bellille Agrey (350 - par) de Wright 1846 (319. 7851) 1 " 666. (1849) pr-1079 & 1117) El Para " Brank Te, Feater 791 x 803 B. nirollie Misson & Hagden Frenz Ceffer Experts Houting the anti- sugar manulation of my manulation elas de obliga blongol hearty immanlatij. MISSOURI BOTANICAL

copyright reserved

GARDEN

cm

Their the with represented Att carte & muntity: 25 whit was also resentes in the the brown not spot on the Tem 9-6 miles Light leaves 2- This les - 4 47 lines 2 - 3 _31-2 broad, - deed 6.6-0.7 lily 10-5 nam, megel of ett puntet or see the myore on the ender nun strongs much It sifes for E. glyptoitt it a vise ogs vay I veg doed by the very sife Leeds and by the state of wet of servature of the lengtes, to low half of The 8 the produced of these the absence of the Jistory And by it smoothings itit - the Involver and the Caryon Diffely shape PAPERS EURG

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COPYRIGHT RESERVED GARDEN

Euphorbino glypto sperma annue evette petiets sometimes, Jambens, glabensma folis e basi valde obliguea oblusa (laten aequi latis oblogis s. obloge Inference produto Cheanter obteris versus demi condata) apire sebsemiter. S. integnisonlig stipulis situria Caria, Eti, author's alanting demu Tills integnis sentitie ventis bilobis stignition stylebosis. apole of the getter sear 2, by ovales arguete Jugosis angelis acutes mulat. Hosk flow B. Am. B. missephylla follig pandis, skjære vix oremulater anoluni mati gladulis vig app Islater den muly From the upper Mistouri Nitollet Hayden to the Alkerson Zenden B. in West ungel 1855 (61. 1851) Sonain Sanskills 1853 (66 1851) 1856 (525 1852) Limpio to Paros From a few where to a fost high The north layer former have as 3-6 li las -9 1/3 as with ist lever are 1-3 liles. 1/2 - 1 wide i noolen it totte only 0.3. line long i - there in 6th for a 0,5 1.6 is s. a little smaller; very sharply angled nother, without that of I. avalifolis MISSOURI BOTANICAL

copyright reserved cm GARDEN

copyright reserved

cm

BOTANICAL

GARDEN

25 Eugh. humistrate annua prostrato pubendo folis e bas obliger obliger sen subsonsits ellipter ollonging obtini se superioriber antias els ven aprile semble 2. sel Integris sultus parse pilosis De glabris Stipulis shoulder philosophy glominalis latentilos poliareis inovberro dorso fisse glelli, by append, meti, stylis polongalis grandels, and med bifil; rapsula publisher 4-angeletis sarthanto vementes es. Ounter of the Source Ohio Short) of the low Missings of Carpenter Allayor plus the its allies. steers of 10-20 inches long leaving using 5-6 but some or ever Alikes by I more the half as wise. off almost glabors with harry petioles, Het Att modern slif extending about to the base a therty berong oblique. Stipe of gla the immer Coloritself) long e mpsm. – Leeds ong 0.4 Clong but this infroportion

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Ello da Semia anna prostrita conte sursum Esfarian puberno folis e basi obliguen obliga In submite obliges obliges sembleter subleis parse polosing Jen mude. stopulis laureolato subulation Bo Con glæmenlig let ent by demun in spram rongestis Involvenis parvis pilosis obliquis dono propule fissis glandelis minutis longe stipitatis lobos lecricias laticeoletos pilosos acquaité, stylis entis basi ometig april Biglistis oven pilosaen acquantiber I supposantity Capsala pulosy seentes ovations antius anguletis sobrugla bosis. Thagues on the Isthoung of Parent Farther coll No 278 - 2 held so to a large for of C. marchet took it been a great som leaves mile Describent The very such (0.4 l. leg) peoply oleft involver in which for the egnes of the own - at teron obligue and thenly, It perulin fetter Elong stalk of the glands, which I foid to the started it is ale halfas log as the secolum as a grand due longer them the Gland itself MISSOURI BOTANICAL

copyright reserved cm GARDEN

22-21 Eugh. merulete Li annue prostrata type piloso pulences folis e bass obligna oblissa 1. condita (more acute) ovetti 1. plemigne ollongis 1. san Es ortis oblies angut semeletis - setter felogis supraplemengen medis, sæpe mbru marulatis Tiplis laurelet scheleter land Eti. glomenlie / sessibility multiflon; Raten Cotins problemis paris sortes dorse fissing appetstulation s. sanin automber jen tomibes medis. stylis excetives ali apir sen at median legfors strans pilosum agguentibres s. es brevis En expelus petosa subante angulati summes orster leviter fran venn rugosis, angely ander inlegnis A wirly spined as wille llast, omme eng oher læst dette men sofi and as for out as the easter parts of Mansas a 9 th qualloque Land Oliver - Texas Pheiner detousa B. glatson. aliter bijanian pelosulis folis basi velde obliguing longioniber Féninion by setimalités subsentés fere nudis glomemlis lexionites my foliareis eapselapilosa.

MISSOURI BOTANICAL copyright reserved cm GARDEN

stems for a few this to a post long leaves 3-4 life a small len the half a wide - feeds vandle i sige of len the 0.4 to over 0.5 lives - leight -, thick i proportion; the come marke out ablum sits with land with entire angle somtimalist is for the ribs become gather selection of our for Alabam sent by Defates the month near sharp as in som other The second of th The second of the second of the second of the MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS Mindight find the state of the -decorated in the second of MISSOURI BOTANICAL copyright reserved cm GARDEN

655 perennis (?) admits patel, prom.

Chita referin Lipondeta folios prostario antis gladolo semtis utmegen hitis stifuly substite, selane glomentis lettent, buy ghardes agento appeals releting Tylis orano rumemente Berstricky ad med' by papele hiti Som when augustin sout angeletes megulosing Set on in Month en sten mexico aline Cerrallo & gray monteny My Caton mung amily stems all liques vol ble with very smill, upwith Can Ceaun Then are 3-4 lens los ond 2-2/2 with very obligue the hors on orthe zero, wenter MISSOURI

BOTANICAL copyright reserved cm GARDEN

Stilospora summa evento patela folis e basi obliguen subondet Montaties ovaties asquite demiti, supon pane plosis sen sebnud; stipulis sublates vilsatis gloment; leterelile, Lessitibus involveris des musis involvers dono 3 medi glabelis anguste applisalations Myly overis pubers brevisting patules judirises objected 3 capitates, papsula publicale antangela seminoben augustis anti augutetis exsembleto-puntatis. From Kanning the Pawner fork.

- Kanning 198 to Sants To Tenter 797 20 i Sonama (1894 (59) lefy leaves 2-4 him los Signata 3 rapilite on the shirt offe, i mig Tuelas spendes Think is an indication to a direct Peus between d.5 and d. loffing At stique Brana Malentinina, prostate AMito stippelis Concoleti, Monthod prend Catendilas, manti, in florincember Calender feliosos sportiones congetti gledin medin bernir lamacatati viliatis gludelas parvales mudas supertities; stighted stylis concertis indivisis ovario mello brevois; summitte myontes myon - Butati. of El Can. - Ather only of lines tage løggele pyrandet, seeds 0.6-0.7 lin lag rugose-puntale, a little longer al mon duply as irriquelarly primatate the ith oth form MISSOURI BOTANICAL copyright reserved GARDEN

prostruta Sil (=ppmfmm.) 65/6/ Euphionelifolie -) B. puber our annua prostrute piloso puberas folis e basi valde oblegue allen subombets, orstej In downter delusis demilies muniche saepe perpunis Typun planque glibris subtres prosis Stipulis laurealatis pilonis glomenli l'atentes plières Libsenili 6m producing paris temperation glandis Bromphinis vix pane apperts letter stylis minutes with heed. 67. dapsula villosa avute augulate Seminibus of costi, acute trasverse Jugosis augulis arutes vendets (Entspe Onle folis que submils Ale it purpurer maynetis (8. purpure producer ovaring prosula. (8. purpure Aveston Louis & Africa floot soli the Theyen on the Colomba List Dout Lan Loker. Wright 1848 - part. -Bottom of Devils niver. It 6. 1852 Derlandier 2530 & 1100 on the Medina Henry for a furth the sport long, lews 2-hlig Leeds. O.h-0.5 lity very sharply regare MISSOURI BOTANICAL

copyright reserved cm GARDEN

GARDEN

E. anolps Denth. Det Dulph = l. orymordes Hook non Lin (fire Duth. = all thirthority Schaner in Li not H. D. H. Deech. posts Samue rusvisa decumbers proberda Linner XX Limetas JA 72/ plus e basi obliguen cordet, N. Aschl. 573 vatis sollusus sen subar utij fee othe Tite sembeter supen flating solling glommli pacifico stipplis subulation piloses speakitis posterint, alreformiting obliques postice elengatis stylis filiform by insvisig vannu vanes per superantiby ppsala pubern semulatis simby profundis Fransversis exaratis thought 1845 (1851. 308) Copperanty story Thurbur gravelly arroyos in Sonom Avry shala species, with the poster loby greats only upon I. sprag horstelly and partly bakers, covery the fruit which extraper fortrudy tomes the ovar through the deep set if involver the styles of the set if involver the styles congress they also 6 inches long leaves are of persons 4-5-1.6 2-21. 6row florer florer 4-51.6 2-21. brong floren like shoolune evitt spraalig wings aleve 1 l. - Sa unte Leads o. 5 li long mondaply yourd the any Mes of the var Zygostvýmalit a folis about the appetion oborates sollancolation, style; aprice birapitety, sem inters minutes mexico mixed with Coullers No 1447

fragmet in Leed only 0,3 l. long var. fissistyla confertion perennis? Polices e busi auqueta Souli outer s. Supervilles skether leti glomenli softenti. stylis filipation I med. Mod thick appeals dense only 1-12 lines only seed the of family and of the long exactly the thorn of the Maries. On gamelyla This works beth. perennes suldermaken, folige Tom anceps onti den dolanges obliges sembis utnique aspenis stylis basi romalis, aprile bifists entis, stigntts fili upla 3 nea Guadalajan Major Signiff - Key week Hong Girch log fra that liques root Lear that I rough, 3-6' 11 1 or en 6 Gizs to deeds of the mexis-fel ments is lance after to presh for a Whith plat, and of the Jam shape though alitte more wite; the Buguts flower and figseller with smile leave, • 2 ---MISSOURI BOTANICAL copyright reserved cm GARDEN

= Norta Hoski J. Euph. prosule promis? Affina oule folis e bui oblige selvenst art orbitelli agute senati utrunger prosis dem medatig stipulis lameslate schalet; glomenly term alte agglomentis, involumilleer Involveni Calvis gladelis I 4 apprints orbitalis Styles with mudi layers soberetis oppul obten anglet gleben sen & Continue de augileti Birles fransven vyori Syplains near Tissistisman (bother Mordick Jamon with mexico, Digg. numerous stems a for out long apparely for a thick figures flows muning seeds out les eo, 3 ithist res

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COPYRIGHT RESERVED GARDEN